



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of : D. Slocum et al.
For : **MONITOR CALIBRATOR**
Serial No. : 10/023,621
Filed : December 18, 2001
Examiner : H. Pham
Art Unit : 2877
Last Office Action : March 13, 2003
Attorney Docket No. : 24837/04231

5/12/03
A. Slocum

RECEIVED
JUN 19 2003
TECHNOLOGY CENTER 2800

AMENDMENT A

Commissioner for Patents
PO Box 1450
Alexandria, Virginia 22313-1450

Dear Sir:

Responsive to the Office Action issued March 13, 2003 in connection with the above-identified patent application, please amend the application as follows:

Amendments to the Claims are reflected in the listing of claims which begins on **page 2** of this paper.

Remarks begin on **page 6** of this paper.

CERTIFICATE OF MAILING

I hereby certify that this **AMENDMENT A** for U.S. Serial No. **10/023,621** is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, PO Box 1450, Alexandria, Virginia 22313-1450 on this 15th day of June, 2003.

06/18/2003 RMEBRAHT 00000125 030172 10023621

01 FC:1202 108.00 DA

Lorr Kaneff {BK0919.DOC;1}